TIMBER BRIDGE PIER

O GAUGE

ASSEMBLY INSTRUCTIONS for PIERS

READ CAREFULLY

Kit Number 6003

- 1. Paint Parts L & L-1 White and let dry.
- 2. Place parts M & N on drawing and glue parts R, R-1 and R-2 in place. Set aside carefully and let dry. Repeat step 2 four (4) more times, making a total of five times. Then take the first section that was assembled and turn opposite side up on drawing. Repeat glueing of parts R, R-1 and R-2 five times as before.
- 3. Take two sections and cut and glue parts 0 in place.
- 4. Glue the five assemblies onto the parts L & L-1 as per drawing.
- 5. Glue parts P & P-1 in place as shown.
- 6. Glue parts K & K-l in place as shown.
- 7. Glue parts S in place as shown.
- 8. Glue parts P-2 in place as shown.
- 9. Touch up glue marks etc., with dull FLAT BLACK PAINT.

If piers are to be used with our straining Beam Timber Span, glue span to piers with the Part I centered on the center of Piers.








3

ALL-NATION HOBBY SHOP

Specialists in Model Railroads — Scale & Tinplate

182 No. LaSalle Street • DE. 2-0850 • Chicago I, Illinois





O GAUGE

All-Nation Hobby Shop
By Zimmer Scale Models



